



- bond-buzz free e-newsletter
- product information
- free projects

shop
online
now!

what's new • for the cause • clubs • help • contact us

ultimate sweater
machine®

wyr knitr™

embellish-knitr™

cool corder™

pocket knitter™

For the Ultimate Sweater Machine®

Double Strand Kimono Jacket

Designed by Kathy Perry

TECHNIQUE USED: Knit



EASY

SIZES

Small-Medium (Large-2X)

FINISHED MEASUREMENTS

Chest: 42 (54)" / 106.5 (137) cm

Back length: 32 1/2 (34 1/2)" / 82.5 (87.5) cm

YARN

[Naturallycaron.com Spa](http://Naturallycaron.com) (75% Microdenier acrylic, 25% rayon from bamboo; 3 oz/85 g, 251 yds/230 m ball):

#0005 Ocean Spray, 20 (24) oz/566 g

#0008 Misty Taupe, 14 (18) oz/396 g

Use 1 strand each color yarn for MY

Use 2 strands of Ocean Spray together for CC

KEY PLATE

USM/ISM KP#4 or appropriate tension to obtain gauge
Suitable for USM/ISM/Bond Classic or 6.5 to 9 mm
knitting machine

ADDITIONAL MATERIALS

Claw weights

Waste Yarn (WY)



[Click to enlarge images](#)

[Schematic](#)

[Printer Friendly PDF](#)

Send this page to a friend

Enter your friend's e-mail
address:

We will not share or
keep this e-mail address.

Share

Bond America
is a division of

CARON

www.caron.com

Proud sponsor of

Rwanda Knits

www.fiberandcraft.org

Yarn needle

[See BOND BUZZ #01 FOR
Technique Tips](#)

GAUGE

In Stockinette stitch using USM/ISM KP#4 and 2 strands of yarn held together, 14 sts and 18 rows = 4"/10 cm

STITCHES USED

Stockinette stitch (St st)

NEEDLES REQUIRED: 76 (96)

BACK

- Using WY, CO 76 (96) sts. K 6 R. Break off. Change to MY. COR. RC=000.
- Hem: K to RC=012. Hang first row of MY sts onto ndls. K 1 R slowly.
- K to RC=106 (108) and mark both sides for armhole.
- Cont to RC=154 (164).
- BO center 24 (30) sts for back neck. BO rem 26 (33) sts on each side or put on WY for seaming.

FRONT

- Using WY, CO 36 (49) sts. K 6 R. Break off. Change to MY. COR. RC=000.
- Hem: K to RC=012. Hang first row of MY sts onto ndls. K 1 R slowly.
- K to RC=90 (92).
- Neckline: Dec 1 st at neck edge of next row and then every 6 (4) rows 5 (7) times, then every 7 (5) rows 4 (8) times.
- At RC=106 (108) mark outside edge for armhole.
- At RC=154 (164) BO rem 26 (33) sts or put on WY for seaming.
- Make a second front with reverse shaping.

SLEEVES (knit from shoulder down)


- Seam fronts to back at shoulders.
- With WS facing front, hang garment on 74 (88) sts between markers. Use MY and set RC to 000. Knit first R by hand or very slowly.
- K to RC=010. Dec 1 st ea side of next row and then every 7 (8) rows 6 (1) time(s), then every 6 (7) rows 1 (6) time(s) - 58 (72) sts. RC=059 (061).
- Cont to RC=082 (086).
- Change to CC and K to RC=105 (109).
- BO back stitch.

FRONT BAND

- Using closed CO Method and CC, CO 20 sts. COR. RC=000.
- K to RC=142 (152) and mark both sides.
- K to RC=167 (182) and mark both sides.
- K to RC=308 (334) and BO.

FINISHING

- Seam side and sleeve seams.
- Turn cuffs to inside along color change and tack in place.
- Seam Front Band to opening matching shoulder seams and marks.
- Fold Front Band in half and turn to inside of jacket. Tack in place along seam.
- Weave in ends.
- Roll up cuffs to desired length.



[More projects for the Ultimate Sweater Machine!](#)

bond-buzz • Sign up for Bond-Buzz, our free e-newsletter!

Enter your e-mail address:

[online store](#) • [products](#) • [projects](#) • [what's new](#) • [for the cause](#) • [bond-buzz](#) • [clubs](#) • [help](#) • [contact us](#)

© Caron International 2003-2010