



- bond-buzz free e-newsletter
- product information
- free projects

online  
store

what's new • for the cause • clubs • help • contact us

ultimate sweater  
machine®

wyr knitr™

embellish-knit!™

cool corder™

pocket knitter™

For the Ultimate Sweater Machine®

## Mock Cable Edge Jacket

designed by Kathy Perry



INTERMEDIATE

### TECHNIQUE USED:

Machine Knit, with Single Crochet

### SIZES

One size – to fit Medium/Large

### FINISHED MEASUREMENTS

Chest Approx 84"/ 213.5 cm

Back length 28"/ 71 cm

### YARN

[NaturallyCaron.com](http://NaturallyCaron.com) Country from Caron® International

(25% Merino Wool, 75% Microdenier Acrylic): 30 oz.

Shown in: #0017 Claret

### KEY PLATE

USM/ISM KP#2, or appropriate tension to obtain gauge  
Suitable for USM/ISM/Bond Classic or 6.5 to 9 mm  
knitting machine

### ADDITIONAL MATERIALS

[Ultimate Sweater Machine®](#) [shop now](#)


Single-prong transfer tool

Latch tool

2 stitch holders

Waste yarn (WY)

Yarn needle



[Click to enlarge images](#)

[Schematic / Chart](#)

[Printer Friendly PDF](#)

Send this page to a friend

Enter your friend's e-mail  
address:

We will not share or  
keep this e-mail address.

Share

Bond America  
is a division of

**CARON**

[www.caron.com](http://www.caron.com)

Proud sponsor of

**Rwanda Knits**

[www.fiberandcraft.org](http://www.fiberandcraft.org)

### GAUGE

In Stockinette stitch, 17 sts and 23 rows = 4"/10 cm

### **KNIT STITCHES USED**

Stockinette stitch (St st): Knit side = RS

Reformed stitch: Place latch tool under stitch specified in instructions. Drop down, reform and replace on needle.

### **Mock Cable Edging (See Technique and Chart)**

Work Cable Edge on end 5 needles; reform sts every row on needles 7, 8, 10 and 11, and every 6 rows on needle 9.

### **CROCHET STITCH USED**

**Single Crochet (sc):** Insert hook in stitch, yarn over and pull up a loop, yarn over and draw through both loops on hook.

### **NEEDLES REQUIRED 92**

#### **RIGHT BACK**

- Using closed CO Method, CO 92 sts. COR. RC=000.
- K to RC=117. Mark LH edge for sleeve.
- K to RC=164.
- BO 15 sts on RH edge for neck—77 sts rem for shoulder.
- BO rem sts, or put on WY.

#### **LEFT BACK**

Work as for right Back, rev sleeve marker and shaping.

#### **RIGHT FRONT**

- Using closed CO Method, CO 88 sts. COR. RC=000.
- Beg Mock Cable patt on LH edge, using 11 ndls (9 sts); see Chart.
- Work to RC=117. Mark RH edge for sleeve.
- Work to RC=164.
- Place 9 Mock Cable sts on holder. BO rem 77 sts, or put on WY for shoulder.

#### **LEFT FRONT**

Work as for right Front, rev sleeve marker and shaping as foll: keep 11 ndls (9 sts) on RH edge in Mock Cable patt, mark LH edge for sleeve, and place 9 Mock Cable sts on holder before shoulder BO.

### **SLEEVES**

- Using closed CO Method, CO 40 sts. COR. RC=000.
- Beg Mock Cable patt on LH edge using 11 ndls (9 sts); see Chart.
- Work to RC=092.
- BO.
- Make second sleeve in same way with Mock Cable patt on opposite side.


### **BACK NECK BAND**


**Note:** One row of Mock Cable patt was completed before putting sts on holder.

- Hang 9 sts (11 ndls) from holder to cont Mock Cable Edge pattern.
- Inc 1 st on edge opposite cable for selvage st—10 sts (12 ndls). COR. RC=000.
- Work to RC=017. K 1 R.
- BO.
- Rep for opposite side.

## FINISHING

- Sew center Back seam.
- Sew center Back seam on Neck band.
- Sew Neck band to Back neck, stretching slightly.
- Sew shoulder seams.
- Sew sleeves in place between markers.
- Sew side and sleeve seams.
- Work 2 R sc on lower edge of jacket.
- Using yarn needle, weave in ends.
- Steam Mock Cable Edge pattern (lightly), so it measures approx 2" wide.
- Steam sc on lower edge.





[More projects for the Ultimate Sweater Machine!](#)

**b o n d - b u z z** • Sign up for Bond-Buzz, our free e-newsletter!

Enter your e-mail address:

[online store](#) • [products](#) • [projects](#) • [what's new](#) • [for the cause](#) • [bond-buzz](#) • [clubs](#) • [help](#) • [contact us](#)

© Caron International 2003-2008